

Karta produktu

Data sheet / Каталогная карта



Klosze

Covers / Рассеиватели

	TRANSPARENTNY PVC/PC transparent PVC/PC / прозрачный PVC/PC	MROŻONY PVC/PC frozen PVC/PC / изморозь PVC/PC	MLECZNY PVC milky PVC/PC / молочный PVC/PC	TRANSPARENTNY PMMA transparent PMMA / прозрачный PMMA	MROŻONY PMMA frozen PMMA / изморозь PMMA	MLECZNY PMMA milky PMMA / молочный PMMA	FROSTED PMMA frosted PMMA / матовый PMMA	FROSTED MLECZNY PMMA milky frosted PMMA / матовый молочный PMMA	PRISMATIC PC	CZARNY PMMA black PMMA / черный PMMA	SREBRNY silver / серебряный
BASIC											
HIGH											
WIDE											
SLIM											
DOUBLE											
TERRA											
SLIM LENS 15											
BASIC LENS 15											
BASIC LENS 30											
SUPERWIDE											
PLEXI TIANO PLEXI SUPERWIDE											
RASTER WIDE											

PRZEPUSZCZALNOŚĆ / TRANSPARENCY / ПРОНИЦАЕМОСТЬ

Rodzaje kloszy Type of covers / Типы экранов	Temperatura pracy materiału Operating temperature of material / Рабочая температура материала	BASIC	HIGH	WIDE	SLIM	DOUBLE	TERRA	SLIM LENS 15	BASIC LENS 15	BASIC LENS 30	SUPERWIDE	PLEXI TIANO PLEXI SUPERWIDE
Do Profilii Meblowych fits Furniture Profiles / Профили мебельные		A/B/C/D/G/ H/W/Y/Z	A/D		X/MICO			X/MICO	A/B/C/D/G/ H/W/Y/Z	W		
Do Profilii Architektonicznych fits Architectural Profiles / Профили архитектурные		COSMO / RETO / TIANO / FLARO / MONO		SOLIS / INSD / ILEDO		SILEDA / inSILEDA DILEDA / in- DILEDA UNICO / DOPIO TALIA / inTALIA / ZATI SUBLI / LOGI / CONVA TOPO / PERO / VEDA	TERRA / SCALA		COSMO / RETO / MONO	COSMO / RETO / MONO	LARGO / inLARGO /SORGA	TIANO LARGO / inLARGO SORGA
TRANSPARENT- NY PVC transparent PVC / прозрачный PVC		88%	82%	85%	84%							
MROŻONY PVC frozen PVC / изморозь PVC	-20°C +65°C											
MLECZNY PVC milky PVC / молочный PVC		66%	65%	55%	63%							
TRANSPARENT- NY PMMA transparent PMMA / прозрачный PMMA		44%	42%	28%	38%		18%					40%
MROŻONY PMMA frozen PMMA / изморозь PMMA	-20°C +70°C											
MLECZNY PMMA milky PMMA / молочный PMMA		95%	95%	94%	95%	93%		96%	soon	92%	93%	
Frosted PMMA frosted PMMA / матовый PMMA		78%	78%	73%	78%	79%						72%
FROSTED MLECZ- NY PMMA milky frosted PMMA / матовый молочный PMMA		51%	52%	42%	39%	50%						66%
TRANSPARENT- NY PC transparent PC / прозрачный PC		90%	87%	81%	86%	85%						83%
MROŻONY PC frozen PC / изморозь PC	-50°C +100°C											
MLECZNY PC milky PC / молочный PC		92%		91%								
Prismatic PC		67%		63%								
Czarny PMMA black PMMA / черный PMMA	-20°C +70°C	36%					56%					
				87%								
		23,90%	19,83%			22,67%						

* Badania zostały wykonane w laboratorium fotometrii LUMINES.
Tolerancja wyników +/- 5%
All research has been done in Lumines photometry laboratory.
Tolerance of the result +/- 5%
Испытания проводились в фотометрической лаборатории
LUMINES. Погрешность результатов +/- 5%